

HOLUX **IBERIA**



Mercurio

www.holuxiberia.es
info@holuxiberia.es

New Swing Operator:

Normally automatic swing door has simple structure but its attractive design is equally suitable for different places. Automatic swing operator is beautiful and secure at the same time! Swing doors needs minimal space while maximizing opening width. This model is suitable for wooden door, metal door, frame door opens to one direction (both single and double open, special glass clamp is required for glass door installation. Door could be open and close easily in case of power failure. High quality in performance, long life and quit running are the unique points of this model.

All components and control system are housed in a nice, simple and sleekly designed cover and it is simple to use for everybody like children, handicap and old people regardless of their age and physical ability.

Swing Door Mechanism includes: Opener, 2 arms, 2 remotes, 2 push buttons.

Technical Data	Mercurio
Speed/opening time/open degree/ close	Adjustable
Door width	≤ 1400mm
Door weight	≤ 140kgs
Open degree	60-115 adjustable
Voltage	AC220V / 110 V, Input 220 V AC, Output 24 DC
Open device	wireless push button/remote control
Service life test	2000000
Power	50W
Weight	8kg

Technical Data	Mercurio
Working temperature	-20°C ~ +50°C
Input voltage	AC 100V / 220 V Optional
Output voltage	24V DC (±10%), 3A
Open degree	Max 115°
Open speed	45°/S
Close speed	45°/S
Opening time	0-60 s (adjustable)
Protection Class	IP 21
Size	515*80*115mm(LWH)




Features and benefits of swing door systems:

- Space-saving construction
- Easy convenient access for people with physical impairments
- Smooth operation
- Flexible assembly
- Attractive design
- Suitable for universal use
- Choice of swing doors operators to meet your needs
- External or hidden door hinges
- Silent opening and closing
- Contactless opening
- Energy efficient building access
- Retrofitting possible without any problems

Note:

- The door leaves must not be heavier than the allowed weight.
- Installation of automatic door must be done by professional experts, please do not do it if you don't have enough experience in this case.



Holux IBERIA



España, Valencia, C/Cid 46 Polígono Bovalar Alaquas
Tel: +34 961642885



EN.02.27062020

www.holuxiberia.es
info@holuxiberia.es